SAFETY DATA SHEET

SDS-0001

SAFETY DATA SHEET

SDS-0001

BC Sealer TM

Date Issued: 01-17-2017 EDCO 17.0007 REV B

1 – IDENTIFICATION

| Product Identifier | Trade Name | Product Identifier Number (REF) | |
|-----------------------|--|------------------------------------|--|
| | EndoSequence _® - BC Sealer ™ 2g 1P | 5017560U0 5017560EU | |
| | EndoSequence _® - BC Sealer ™ Trial Pack | 5024355U0 | |

| Product Use | Root canal filling material. | | |
|---------------------|---|--|--|
| Restrictions on Use | For dental use only. | | |
| Supplier | Brasseler U.S.A. Dental, LLC One Brasseler Boulevard Savannah, Georgia 31419, USA Tel: 1-800-841-4522 | | |
| Emergency Contact | For Chemical Emergency ONLY (spill, leak, fire, exposure, or accident) call: CHEMTREC Tel: 1-800-262-8200 (USA) +1703-741-5500 (International) | | |

2 – HAZARDS IDENTIFICATION

GHS Classification and WHMIS 2015

| Health Hazard | Hazard Class | Hazard Category | Signal Word | Hazard Statement Pictogra | | Pictogram |
|------------------|-----------------|--------------------|----------------|---------------------------|-------------------------------|-----------|
| | Skin irritation | 2 | Warning | H315 | Causes skin irritation | \leq |
| | Eye Irritation | 2A | Warning | H319 | Causes serious eye irritation | \sim |

| Precautionary | P264 | Wash hands thoroughly after handling. |
|---|------------------------|---|
| Statements | P280 | Wear protective gloves, protective clothing, eye protection and face protection. |
| | P302 + P352 | IF ON SKIN: Wash with plenty of soap and water. |
| | P321 | Specific treatment: Wash skin thoroughly with cool water and pH-neutral soap or a mild detergent intended for use on skin. |
| P332 + P313 If skin irritation occurs: Get me | | If skin irritation occurs: Get medical advice / attention. |
| | P337 + P313 | If eye irritation persists: Get medical advice / attention. |
| | P362 + P364 | Take off contaminated clothing and wash it before reuse. |
| | P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| Physical | This product reacts ch | emically with water or moisture and specific intermediate products of this |

| Physical | This product reacts chemically with water or moisture, and specific intermediate products of this |
|----------|---|
| Hazard | reaction (i.e. calcium hydroxide, is present only while the product is setting or curing) can produce a |
| | strong alkaline material than that of the dry paste. |

| Environment | Not applicable |
|-------------|----------------|
| Hazard | |

BC Sealer TM

3 – COMPOSITION / INFORMATION ON INGREDIENTS

| CAS # | EC Number | Index No. | REACH Registration No. | Concentration (wt%) | Chemical Name | Classification According to 67/548/EEC | Classification According to Regulation (EC) No. 1278/2008 (CLP) |
|-------------------|---|-------------------|------------------------------|------------------------|------------------------|--|---|
| 1314-23-4 | 215-227-2 | Not applicable | Not applicable | 35.0 - 45.0% | Zirconium oxide | Irritant: Xi; R36 | Skin Irrit. 2 H315 |
| 12168-85-3 | Not applicable | Not applicable | Not applicable | 20.0 - 35.0% | Tricalcium silicate | R38 | Eye Irrit. 2 |
| 10034-77-2 | Not applicable | Not applicable | Not applicable | 7.0 - 15.0% | Dicalcium silicate | | H319 |
| 1305-62-0 | 215-137-3 | Not applicable | Not applicable | 1.0 - 4.0% | Calcium hydroxide | | |
| Not applicable | Additives: Fillers: None are classified as hazardous to the health or environment and do not contribute to the classification of the product. The specific chemical identity and the exact concentration of the fillers in the product have been withheld as per Confidential Business Information (CBI). | | | Not applicable | Not applicable | Proprietary | |

4 – FIRST AID MEASURES

| Route of Exposure | Most Important Symptoms/Effects, Acute and Delayed | First Aid Treatment |
|-------------------|--|---|
| Skin Contact | Skin irritation, drying, cracking or fissuring of the skin. Prolonged exposure can cause severe skin damage in the form of chemical (caustic) burns. | Wash skin thoroughly with cool water and pH-neutral soap or a mild detergent intended for use on skin. Wear gloves to remove any contaminated clothes and shoes from the individual. Get medical attention in all cases of prolonged exposure to the product, freshly cured product or prolonged wet skin exposure to the product. |
| Eye Contact | Severe irritation and/or inflammation. Blindness in severe cases. | Immediately rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing, include under lids to remove all particles. Get immediate medical attention. |
| Inhalation | Irritation to the moist mucus membranes of the nose, throat and upper respiratory system. Pre-existing upper respiratory and lung diseases may be aggravated. | Move exposed individual from the area into fresh air. Get medical attention if coughing and other symptoms do not subside. |
| Ingestion | Internal discomfort or irritation to the digestive tract. | Do NOT induce vomiting. If individual is conscious, use water to rinse out the mouth and have the individual drink plenty of water. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Observe the individual carefully. Never give anything by mouth to an unconscious individual (i.e. showing signs of being sleepy or with reduced awareness). Get immediate medial attention. |

SDS-0001

BC Sealer TM

Date Issued: 01-17-2017 EDCO 17.0007 REV B

5 – FIRE-FIGHTING MEASURES

| Conditions of Flammability | Not flammable or combustible. |
|---|--|
| Suitable Extinguishing Media | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
| Unsuitable Extinguishing Media | There is no restriction on the type of extinguisher. |
| Specific Hazards Arising From the Product | None known. |
| Special Protective Actions Equipment and Precautions for Fire-Fighters | Wear self-contained breathing apparatus and protective gloves for firefighting. Equipment should be thoroughly decontaminated after use. Prevent spillage from entering drains or water courses. |

6 - ACCIDENTAL RELEASE MEASURES

| Personal Precautions, Protective Equipment and Emergency Procedures Environmental Precautions Environmental Precautions | Wear appropriate personal protective equipment to prevent contamination of skin, eyes and personal clothing (see Section 8). Avoid contact with the product: Avoid contact to the product, freshly cured product or prolonged wet skin exposure to the product. Avoid actions that cause dried product to become airborne. Avoid inhalation of dried product dust. Use a scoop or moist paper towel(s) to clean up spilled product. Prevent further spillage. Keep product away from drains, surface and ground water. |
|---|---|
| Methods and Materials for Containment and Cleaning Up | Use a scoop or moist paper towel(s) to clean up spilled product. Dispose of in a suitable sealed container. Dispose of waste product according to local state and federal regulations. Cover drains. Wash spilled area with large amounts of water and dry thoroughly. |

7 - HANDLING AND STORAGE

| Precautions for Safe Handling | Avoid contact with skin and eyes. Avoid inhalation of dried product. Wear personal protective equipment. Remove contaminated clothing and personal protective equipment before entering eating areas. Wash hands after handling product. Remove contaminated clothing and personal protective equipment. Wash before reuse. Avoid contact with ammonia, ammonia nitrate, chlorine or chlorine containing items. |
|-------------------------------|---|
| Conditions for Safe Storage | Air and moisture sensitive. Store at room temperature in a dry area. Store tightly closed in the original packaging. Keep dry until used. Protect from excessive heat and cold. Protect packaging against physical damage. Store away from incompatible materials, and from foodstuffs and beverages. Do not store near ammonia, ammonia nitrate, chlorine or chlorine containing items. |



SDS-0001

BC Sealer TM

Date Issued: 01-17-2017 EDCO 17.0007 REV B

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

| Control Parameters | The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. | | | |
|---|--|--|--|--|
| Appropriate Engineering Controls | Use and store in a well-ve | store in a well-ventilated area. | | |
| Individual Protections Measures, Such as Personal Protective Equipment (PPE) | Eye / Face Protection | Safety glasses with side shields. Tightly sealed safety goggles. Face shields. Contact lenses should not be worn. | | |
| | Skin Protection | Glove material has to be impermeable and resistant to the product: Exam gloves: nitrile rubber or latex. Recommended thickness of the glove material: ≥0.38mm Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practice. Wash and dry hands after handling product. | | |
| | | Lightweight impermeable protective work clothing (lab coat), as appropriate, to prevent skin contact. Remove contaminated clothing and personal protective equipment before entering eating areas. Remove contaminated clothing and personal protective equipment. Wash before reuse. | | |
| | Respiratory Protection | Surgical face mask Handle product in a well-ventilated area. | | |
| | Thermal Hazards | Not applicable | | |
| | Hygiene Measures | Handle in accordance with good industrial hygiene and safety practice. Keep away from foodstuffs and beverages. Wash hands before breaks and at the end of work. | | |

9 - PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | State | Solid (thick paste / putty) | Upper / Lower Flammability or Explosive Limits | Not available |
|--|---------------|--------------------------------|---|------------------|
| | Colour | White | | |
| Odour | No distinc | et odour | Vapour Pressure | Not available |
| Odour Threshold | Not availa | ıble | Vapour Density | Not available |
| рН | >12 (Basi | c) | Relative Density | Not available |
| Melting Point / Freezing Point | Not availa | ble | Solubility (with water) | Slightly soluble |
| Initial Boiling Point and Boiling Range | Not available | | Partition Coefficient: n-octanol / water | Not available |
| Flash Point | Not available | | Auto-ignition Temperature | Not available |
| Evaporation Rate | Not available | | Decomposition Temperature | Not available |
| Flammability | Not availa | ble | Viscosity | Not available |

BC Sealer ™

SDS-0001

Date Issued: 01-17-2017

EDCO 17.0007 REV B

SAFETY DATA SHEET

SDS-0001

BC Sealer TM

Date Issued: 01-17-2017 EDCO 17.0007 REV B

10 – STABILITY AND REACTIVITY

| Reactivity | Contact with water will result in hydration of the product and produces | |
|------------------------------------|---|--|
| | (caustic) calcium hydroxide. | |
| Chemical Stability | Stable under recommended storage conditions. | |
| | • Keep dry. | |
| Possibility of Hazardous Reactions | Not available | |
| Conditions To Avoid | Avoid unintentional contact with water to prevent premature setting/curing; | |
| | contact will result in hydration of the product and produces (caustic) | |
| | calcium hydroxide. | |
| | Incompatible with acids, ammonia, ammonia nitrate, ammonium salts, | |
| Incompatible Materials | aluminum metal and chlorine. | |
| Hazardous Decomposition Products | Decomposition will not spontaneously occur. | |
| | • Contact with water will result in hydration of the product and produces | |
| | (caustic) calcium hydroxide. | |

11 – TOXICOLOGICAL INFORMATION

| Emergency | This product is a white paste that poses little immediate hazard. A single-term exposure to the paste is | | |
|-----------|--|--|--|
| Overview | not likely to cause serious harm. However, exposure of sufficient amount and duration (either single or | | |
| | multiple) to the moist product can cause serious irritation to the skin and eyes in the form of chemical | | |
| | (caustic) burns. Similar tissue damage can occur if wet or moist areas of the body are exposed for | | |
| | sufficient duration to the product. | | |

| Numerical Measures of Toxicity | | | | |
|--------------------------------|------------|---------------------|--|------------------|
| Chemical Name | CAS # | ACGIH | OSHA PEL | LD ₅₀ |
| Zirconium oxide | 1314-23-4 | 5 mg/m3 total dust | 5 mg/m ³ TWA | Not available |
| Tricalcium silicate | 12168-85-3 | 10 mg/m3 total dust | 5 mg/m3 respiratory dust | Not available |
| Dicalcium silicate | 10034-77-2 | | 10 mg/m ³ total dust | |
| Calcium hydroxide | 1305-62-0 | 5 mg/m ³ | 5 mg/m ³ TWA (respirable fraction) 15 mg/m ³ TWA (total dust) | 7300 mg/kg |

| Routes of Exposure | Symptoms Related to Physical, Chemical and Toxicological Characteristics | Delayed and Immediate Effects Chronic Effects from Short and Long-Term Exposure | Target Organ(s) |
|-----------------------|---|---|--|
| Skin Contact | Skin irritation, drying, cracking or fissuring of the skin. | Severe skin damage in the form of chemical (caustic) burns. | Skin |
| Eye Contact | Severe irritation and/or inflammation. | Blindness in severe cases. | Eye |
| Inhalation | Irritation to the moist mucus membranes of the nose, throat and upper respiratory system. | Pre-existing upper respiratory and lung diseases may be aggravated. | Mucous membranes of nose, throat and upper respiratory system. |
| Ingestion | Internal discomfort or irritation to the digestive tract. | Ill effects are possible if large quantities are consumed. | Digestive system |

| Acute Toxicity | Product is not classified as a toxic substance. |
|---|---|
| Skin Corrosion / Irritation | May cause skin irritation. |
| Serious Eye Damage / Irritation | May cause serious eye irritation. |
| Respiratory or Skin Sensitization | No allergic potential after multiple uses and |
| | good tolerance by subcutaneous tissues. |
| Germ Cell Mutagenicity | No mutagenic effect. |
| Carcinogenicity (NTP, IARC, OSHA) | Ingredients not listed as carcinogens. |
| Reproductive Toxicity | Not available |
| Specific Target Organ Toxicity (STOT) – Single Exposure | Product is not classified as a toxic substance. |
| Specific Target Organ Toxicity (STOT) – Repeated Exposure | Product is not classified as a toxic substance. |
| Aspiration Hazard | Not available |
| Interactive Effects | Not available |
| Other Information | Not applicable |
| Peter Brasseler Holdings LLC One Brasseler Blyd, Savannah, GA 31419 USA, All Rights Reserve | ed. |

12 – ECOLOGICAL INFORMATION

| Toxicity | Not available | Mobility in Soil | Not available |
|----------------------------------|---------------|--------------------------|--|
| Persistence and Degradability | Not available | Other Adverse Effects | No known significant effects or critical hazards. |
| Bioaccumulative Potential | Not available | • | |

13 - DISPOSAL CONSIDERATIONS

| Disposal Methods | For the safe handling of disposing of this product, wear appropriate personal protective equipment to prevent contamination of skin, eyes and personal clothing (see Section 8). Dispose of waste product or contaminated product in a suitable sealed container. Dispose of product according to local state and federal regulations. | |
|--------------------------------|--|--|
| Physical / Chemical Properties | No known precautions. | |
| Affecting Disposal Options | | |
| Discourage Sewage Disposal | Do not dispose of product down drains or from entering sewage systems. | |
| Special Precautions for | No known precautions. | |
| Incineration or Landfill | | |

14 - TRANSPORT INFORMATION

| UN Number | Not applicable, the product is not classified as Dangerous Goods. |
|--|--|
| UN Proper Shipping Name | Not applicable, the product is not classified as Dangerous Goods. |
| Transport Hazard Class(es) | Not classified as a transport hazard in accordance with the UN Model |
| | Regulations. |
| Packing Group | Not applicable, the product is not classified as Dangerous Goods. |
| Environmental Hazards | Product is not known as a marine pollutant according to the IMDG Code. Product is not an environmental hazard according to the UN Model |
| | Regulations, ADR, RID and ADN. |
| Precautions for User | Not applicable |
| Transport in Bulk (According to Annex II of MARPOL 73/78 ⁹ and the IBC Code) | Not applicable |

15 – REGULATORY INFORMATION

Status under REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006;

- This device is classified as an irritant:
- Skin irritation (Category 2)
- Eye irritation (Category 2)

Status under USDOL-OSHA Hazard Communication Rule, 29 CFR 1910,1200:

• The ingredients in this product (calcium silicate compounds, zirconium oxide and calcium hydroxide) are considered to be "hazardous chemicals" under this regulation.

16 – OTHER INFORMATION

Date of Preparation 08-12-2015

This product should be used according to manufacturer's directions. Safety precautions presented above may not be adequate for all individuals or situations. Inexperienced product users should obtain proper training before using or handling this product. Users have the responsibility to comply with all laws and procedures applicable to the products' safe handling and use, determine the suitability of the product for its intended use, and understand possible hazards associated with mixing this product with other materials. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product. The supplier and/or manufacturer of this product shall not be held liable for damage resulting from handling, misuse or from contact with this product.

Peter Brasseler Holdings LLC One Brasseler Blvd Savannah, GA 31419 USA. All Rights Reserv